

WINDOW SCHEDULE - AREA FIRST FLOOR							
MARK	FRAME SIZE W x H	WNDW ELEV	F.R. MATL	DETAILS			REMARKS
				HEAD	JAMB	SILL	
A	7'-6" X 7'-0"	A	ALUM	1/A-7.8	2/A-7.8	3/A-7.8	(IMPACT RESISTANT EXTERIOR WINDOW)
B	3'-0" X 6'-0"	B	ALUM	1/A-7.8	2/A-7.8	3/A-7.8	(IMPACT RESISTANT EXTERIOR WINDOW)
C	9'-2" X 4'-0"	C	ALUM	4/A-7.8	5/A-7.8	6/A-7.8	(INTERIOR WINDOW)
E	5'-6" X 3'-0"	E	ALUM	7/A-7.8	8/A-7.8	9/A-7.8	CURTAIN WALL SYSTEM (HURRICANE RESISTANT EXTERIOR WINDOW)
E1	16'-0" X 3'-0"	E1	ALUM	7/A-7.8	8/A-7.8	9/A-7.8	CURTAIN WALL SYSTEM (HURRICANE RESISTANT EXTERIOR WINDOW)
E2	12'-3" X 3'-0"	E2	ALUM	7/A-7.8	8/A-7.8	9/A-7.8	CURTAIN WALL SYSTEM (HURRICANE RESISTANT EXTERIOR WINDOW)
E3	4'-4" X 3'-0"	E3	ALUM	7/A-7.8	8/A-7.8	9/A-7.8	CURTAIN WALL SYSTEM (HURRICANE RESISTANT EXTERIOR WINDOW)
E4	7'-5" X 10'-0"	E4	ALUM	4/A-7.8	5/A-7.8	6/A-7.8	(INTERIOR WINDOW)
E5	14'-2" X 10'-0"	E5	ALUM	1/A-7.8	2/A-7.8	3/A-7.8	(IMPACT RESISTANT EXTERIOR WINDOW)
E6	14'-4" X 10'-0"	E6	ALUM	1/A-7.8	2/A-7.8	3/A-7.8	(IMPACT RESISTANT EXTERIOR WINDOW)
E7	19'-10" X 10'-0"	E7	ALUM	1/A-7.8	2/A-7.8	3/A-7.8	(IMPACT RESISTANT EXTERIOR WINDOW)
E8	15'-7" X 10'-0"	E8	ALUM	1/A-7.8	2/A-7.8	3/A-7.8	(IMPACT RESISTANT EXTERIOR WINDOW)
E9	15'-1" X 10'-0"	E9	ALUM	1/A-7.8	2/A-7.8	3/A-7.8	(IMPACT RESISTANT EXTERIOR WINDOW)
E10	15'-8" X 10'-0"	E10	ALUM	1/A-7.8	2/A-7.8	3/A-7.8	(IMPACT RESISTANT EXTERIOR WINDOW)
E11	13'-0" X 10'-0"	E11	ALUM	1/A-7.8	2/A-7.8	3/A-7.8	(IMPACT RESISTANT EXTERIOR WINDOW)
E12	15'-7" X 4'-5"	E12	ALUM	7/A-7.8	8/A-7.8	9/A-7.8	CURTAIN WALL SYSTEM (HURRICANE RESISTANT EXTERIOR WINDOW)
E13	37'-1" X 4'-5"	E13	ALUM	7/A-7.8	8/A-7.8	9/A-7.8	CURTAIN WALL SYSTEM (HURRICANE RESISTANT EXTERIOR WINDOW)
E14	21'-9" X 4'-10"	E14	ALUM	1/A-7.8	2/A-7.8	3/A-7.8	(IMPACT RESISTANT EXTERIOR WINDOW)
F	6'-0" X 4'-0"	F	ALUM	4/A-7.8	5/A-7.8	6/A-7.8	(INTERIOR WINDOW)
G	7'-6" X 10'-0"	G	ALUM	1/A-7.8	2/A-7.8	3/A-7.8	(IMPACT RESISTANT EXTERIOR WINDOW)
H	5'-0" X 9'-6"	H	ALUM	1/A-7.8	2/A-7.8	3/A-7.8	(IMPACT RESISTANT EXTERIOR WINDOW)

WINDOW SCHEDULE - AREA SECOND FLOOR							
MARK	FRAME SIZE W x H	WNDW ELEV	F.R. MATL	DETAILS			REMARKS
				SILL	JAMB	HEAD	
A	7'-6" X 7'-0"	A	ALUM	1/A-7.8	2/A-7.8	3/A-7.8	(IMPACT RESISTANT EXTERIOR WINDOW)
D	9'-1" X 7'-0"	D	ALUM	1/A-7.8	2/A-7.8	3/A-7.8	(IMPACT RESISTANT EXTERIOR WINDOW)
E	5'-9" X 3'-0"	E	ALUM	7/A-7.8	8/A-7.8	9/A-7.8	CURTAIN WALL SYSTEM (HURRICANE RESISTANT EXTERIOR WINDOW)
E1	16'-0" X 3'-0"	E1	ALUM	7/A-7.8	8/A-7.8	9/A-7.8	CURTAIN WALL SYSTEM (HURRICANE RESISTANT EXTERIOR WINDOW)
E2	12'-2" X 3'-0"	E2	ALUM	7/A-7.8	8/A-7.8	9/A-7.8	CURTAIN WALL SYSTEM (HURRICANE RESISTANT EXTERIOR WINDOW)
E3	4'-3" X 3'-0"	E3	ALUM	7/A-7.8	8/A-7.8	9/A-7.8	CURTAIN WALL SYSTEM (HURRICANE RESISTANT EXTERIOR WINDOW)
H	5'-0" X 9'-6"	H	ALUM	1/A-7.8	2/A-7.8	3/A-7.8	(IMPACT RESISTANT EXTERIOR WINDOW)
J	7'-6" X 9'-0"	J	ALUM	1/A-7.8	2/A-7.8	3/A-7.8	(IMPACT RESISTANT EXTERIOR WINDOW)
K	7'-6" X 3'-0"	K	ALUM	1/A-7.8	2/A-7.8	3/A-7.8	(IMPACT RESISTANT EXTERIOR WINDOW)

WINDOW SCHEDULE - AREA THIRD FLOOR							
MARK	FRAME SIZE W x H	WNDW ELEV	F.R. MATL	DETAILS			REMARKS
				SILL	JAMB	HEAD	
A	7'-6" X 7'-0"	A	ALUM	1/A-7.8	2/A-7.8	3/A-7.8	(IMPACT RESISTANT EXTERIOR WINDOW)
E12	15'-7" X 4'-5"	E12	ALUM	7/A-7.8	8/A-7.8	9/A-7.8	CURTAIN WALL SYSTEM (HURRICANE RESISTANT EXTERIOR WINDOW)
E13	37'-1" X 4'-5"	E13	ALUM	7/A-7.8	8/A-7.8	9/A-7.8	CURTAIN WALL SYSTEM (HURRICANE RESISTANT EXTERIOR WINDOW)
E14	21'-9" X 4'-10"	E14	ALUM	7/A-7.8	8/A-7.8	9/A-7.8	CURTAIN WALL SYSTEM (HURRICANE RESISTANT EXTERIOR WINDOW)
D	9'-1" X 6'-0"	D	ALUM	1/A-7.8	2/A-7.8	3/A-7.8	(IMPACT RESISTANT EXTERIOR WINDOW)
H	5'-0" X 9'-6"	H	ALUM	1/A-7.8	2/A-7.8	3/A-7.8	(IMPACT RESISTANT EXTERIOR WINDOW)
L	3'-4" X 4'-0"	L	ALUM	4/A-7.8	5/A-7.8	6/A-7.8	(INTERIOR WINDOW)
M	12'-0" X 4'-0"	M	ALUM	10/A-7.8	11/A-7.8	12/A-7.8	(WINDOW REPLACEMENT SYSTEM)(IMPACT RESISTANT)


GLASS SCHEDULE	
A TYPE G-3	1/4" THICK GLAZING QUALITY CLEAR TEMPERED FLOAT GLASS
B TYPE G-6	1/4" THICK SPANDREL GLASS WITH INTERIOR SURFACE TO MATCH TINTED FLOAT GLASS
C TYPE G-8	1/4" THICK INTERIOR ONE WAY TEMPERED MIRROR GLASS
D TYPE G-14	LOW E 5/16" THICK LARGE MISSILE IMPACT RESISTANT LAMINATED CLEAR 70% VISIBLE TRANSMITTANCE
D TYPE G-15	LOW E 1 5/16" THICK LARGE MISSILE IMPACT RESISTANT LAMINATED SOLARGRAY AND 35% VISIBLE TRANSMITTANCE RE: SPECIFICATIONS SECTION 088000 GLAZED SYSTEMS

BYRON J. STEWART & ASSOC.
ARCHITECTS & PLANNERS, APC
2800 MAURENDO STREET
SUITE 1200 NEW ORLEANS, LA 70115
(504) 527-5339 (504) 527-5342 FAX

PRK
Architecture
Engineering
Planning
Facility Consulting

1 WINDOW SCHEDULE

NTS



2 WINDOW TYPES

NTS

CARTER G. WOODSON SCHOOL
RECOVERY SCHOOL DISTRICT
2514 THIRD STREET
NEW ORLEANS, LOUISIANA

FOR CONSTRUCTION		
JOB NUMBER:	EJS 128	
DATE:	4/28/16	
DRAWN BY:	M.H.	
CHECKED BY:	L.R.P.B.	
REVISIONS		
NO.	DATE	REVISION

SHEET TITLE:
**WINDOW DETAILS
WINDOW SCHEDULE**

A-7.6