



RSD
LOUISIANA

LEGEND

- ROOF SCUPPER
- ROOF SLOPE INDICATOR
- BUILDING SECTION TAG
- ELEVATION TAG
- STANDING SEAM METAL ROOF
- TAPERED BITUMEN (200 F)
- TAPERED SLOPE INDICATORS
- BITUMEN ROOFING SYSTEM
- E-J BUILDING EXPANSION JOINT
- ONE HOUR FIRE RATED PARTITION

1. PROVIDE ROOFING IN ACCORDANCE WITH SMACNA AND NRCA GUIDELINES.
2. CONTRACTOR SHALL COORDINATE ROOF PENETRATIONS AND PROVIDE PROPER FLASHING DETAILS WHERE REQUIRED.
3. PROVIDE CANTS, CRICKETS, FLASHING, ETC., WHERE REQUIRED TO PROVIDE POSITIVE DRAINING TOWARDS SCUPPERS AND GUTTER SYSTEMS.
4. MINIMUM ROOF TAPER IS TO BE 1/4" ON 12".
5. SEE A9.10 - A9.12 FOR ROOF DETAILS.

KEY PLAN

BIDDING DOCUMENTS		05/04/10
NO. REVISION	DATE	
PARKVIEW SCHOOL 4617 MIRABEAU AVE. NEW ORLEANS, LA 70126		PROJECT
09009	JOB NO	
ROOF PLAN		TITLE
1/16" = 1'-0"		SCALE
MMM/AB / CW	DRAWN/CHK	

A-2.2
FULLY SPRINKLERED
BUILDING

RWA
ROZAS WARD ARCHITECTS
A PROFESSIONAL CORPORATION
1100 POYDRAS ST. SUITE 3550 NO LA 70183 504 584 4375

ONE AND ONE HALF INCHES = ONE FOOT

THREEONE INCH = ONE FOOT

ONE HALF INCH = ONE FOOT

ONE QUARTER INCH = ONE FOOT

ONE EIGHT INCH = ONE FOOT

OVERALL ROOF PLAN @ 40'0" AFF